# **FLOOR MATTING CATALOG**



# CATALOG 2009 ALPHABETICAL INDEX

PRODUCT NAME	PAGE
ACCESSORIES	51
ALUMINUM RAIL MAT	6
ANCHOR-RUNNER	26
ANTIFATIGUE	21-25, 36-43
ANTI-SKID CARPET BACKING	51
BAR LINER	48,49
BEL-AIRE	2-8
BEL-AIRE SPECS	8
BERBER	4, 5, 21
BLACK CLOUD	37
BUBBLE-EZE	24
CAMINO REAL	4
CARE & MAINTENANCE	52
CARPET MATS	12-15
CARPET PROTECTOR	26
CASE LINER LIGHT DUTY	49
CASE LINER HEAVY DUTY	49
CATALINA PREM DUTY	14
CATALINA STD DUTY	14
CHEVRON RIB	13
COCOA BRUSH	19
COLOR-KEY BOARDS	47
COMFORT ZONE	22
COMMODE MATS	31
CONTAMINATION CONTROL	31
CORRUGATED RUBBER 1/4"	29
CORRUGATED RUBBER 1/8"	29
CORRUGATED SWITCHBOARD	33
CORRUGATED VINYL	29
CUSHION COMFORT	23
CUTTING BOARDS	47
DELUXE	38
DELUXE MONOGRAM	9
DIAMOND PLATE	32
DIGI-PRINT	10
DOUBLE FACE TAPE	51
DRI-DEK	34
DURA-BONDED TREDLITE	24
DURALOK	40
DURATRED	28
EZY KLEEN VINYL	29
FINGER TOP	20
FLEX-TILE	49
FRAME	19

PRODUCT NAME	PAGE
GRIPPER BACK	26
GUARDIAN	43
HONEYCOMB	43
HOOK & LOOP TAPE	51
HOT WATER HOSE	50
INTERLOCKING MATS	22,30,34,35,40,41,49
KITCHEN	36-49
KLEEN-RITE	27
LOGO MATS	2-4, 9-11
MACHINE WASHABLE	12
MARQUIS	2
MILITARY SWITCHBOARD	32
MONOGRAM FLOCK	11
NEEDLE-RIB	5
NEOTEX	48
NI-RIB	44
NOMAD	17
NOMAD SCRAPER 6050	17
NOZZLE	50
PARK PLACE	6
PINNACLE	21
PLASTI-CUT 1"	47
PLASTI-CUT 1/2"	47
PLASTI-CUT 3/4"	47
POLY-LOK	35
PORTAMAT WASHRACK	46
PRIMA	41
PRO-TEKT	27
RECESS FRAMES	19
RECYCLED	19, 35
RED CLOUD	36
RESTROOM MATS	31
REVERS-A-MAT	45
RIDGE-SCRAPER	20
RUBBER-CUT 1"	47
RUBBER-CUT 1/2"	47
RUBBER-CUT 3/4"	47
RUNNER MATTING	27-29, 32, 44-45
SAFETY WALK WET AREA 1500	17
SAFETY WALK WET AREA 3200	18
SANI-MATE	31
SCRAPER MATS	16-20
SHELF LINER	48, 49
SHOWER MATS	34

POLICE AND ADDRESS OF ADDRESS	-
PRODUCT NAME	PAGE
SLIP-GARD	28
SMOOTH TOP SWITCHBOARD	33
SPIKE RESISTANT CARPET	7
SPONGE VINYL	25
SPORTS MATTING	30
STAY-PUT	51
SUNSET	3
SWITCHBOARD	32, 33
TAC-MAT	31
TEMPRA FLEX HOSE 3/4"	50
TEMPRA FLEX HOSE 5/8"	50
TERMS & CONDITIONS	53
TILE LOCK	30
TILES VINYL	34, 35, 49
TIRE-TEX	19
TOPDEK	42
TREDLITE 1/4"	25
TREDLITE 3/8"	25
TREDLITE 5/8"	25
TREDLITE MATS 3/8"	25
TREDLITE MATS 5/8"	25
TUFFDEK	39
TUF-PLUSH	13
TWIST-LOOP	16
ULTRA-BERBER	7
URINAL MATS	31
VINA TEX	48
VINYL-COIL	18
VINYL-LOOP	16
VIP BLACK CLOUD	37
VIP DELUXE	38
VIP DURALOK	40
VIP GUARDIAN	43
VIP LITE	38
VIP PRIMA	41
VIP RED CLOUD	36
VIP TOPDEK JUNIOR	42
VIP TOPDEK SENIOR	42
VIP TUFFDEK	39
WASHRACK	46
WATER-WELL CLASSIC	15
WATER-WELL PARQUET	15
WEIGHT ROOM MATTING	30
WONDER-GRIP	51
WONDER-ORIF	51

# CATALOG 2009 TYPE / NUMBER INDEX

TYPE NO.	PRODUCT	PAGE	TYPE NO.	PRODUCT	PAG
29	RECESS FRAMES	19	1418	SUNSET	3
29	TIRE-TEX	19	1422	CAMINO REAL	4
35	FINGER TOP	20	1425	WATER-WELL CLASSIC	15
42	MONOGRAM FLOCK	11	1426	WATER-WELL PARQUET	15
43	DELUXE MONOGRAM	9	1435	SLIP-GARD	28
46	DIGI-PRINT	10	1437	CATALINA STD DUTY	14
110	CASE LINER LIGHT DUTY	49	1438	TUF-PLUSH	13
200	DOUBLE FACE TAPE	51	1451	VINYL-COIL	18
220	CASE LINER HEAVY DUTY	49	1462	CATALINA PREM DUTY	14
300/301	HOOK & LOOP TAPE	51	1465	TWIST-LOOP	16
305	STAY-PUT BACKING	51	1470	MACHINE WASHABLE	12
307	WONDER GRIP	51	1485	NEEDLE-RIB	5
402	SANI-MATE	31	1487	CHEVRON RIB	13
501	RUBBER-CUT 1/2"	47	1611	ALUMINUM RAIL MAT	6
502	RUBBER-CUT 3/4"	47	1611	PARK PLACE	6
503	RUBBER-CUT 1"	47	1625	RIDGE-SCRAPER	20
501CK	COLOR-KEY BOARDS	47	1631	NI-RIB	44
501P	PLASTI-CUT 1/2"	47	1640	REVERS-A-MAT	45
502P	PLASTI-CUT 3/4"	47	2200	VIP BLACK CLOUD	37
503P	PLASTI-CUT 1"	47	2500	COMFORT ZONE	22
800	COCOA BRUSH	19	2502	BUBBLE-EZE	24
1000	CORRUGATED RUBBER 1/8"	29	2520	VIP DELUXE	38
1001	PRO-TEKT	27	2521	VIP LITE	38
1002	CORRUGATED RUBBER 1/4"	29	2522	VIP TOPDEK SENIOR	42
1008	KLEEN-RITE	27	2523	VIP PRIMA	41
1010	CORRUGATED VINYL	29	2530	VIP TOPDEK JUNIOR	42
1011	EZY KLEEN VINYL	29	2535	HONEYCOMB	43
1024	TREDLITE 1/4"	25	2540	VIP GUARDIAN	43
025	TREDLITE 3/8"	25	2553	FLEX-TILE	49
1026	TREDLITE 5/8"	25	2554	DRI-DEK	34
027	TREDLITE MATS 3/8"	25	2557	POLY-LOK	35
1028	TREDLITE MATS 5/8"	25	2560	TILE LOCK	30
1030	DURA-BONDED TREDLITE	24	3001	NEOTEX	48
031	DURATRED	28	3005	VINA TEX	48
041	SAFETY WALK WET AREA 3200	18	3525	VIP TUFFDEK	39
050	CORRUGATED SWITCHBOARD	33	3545	GRIPPER BACK	26
051	DIAMOND PLATE	32	3548	ANCHOR-RUNNER	26
052	SMOOTH TOP SWITCHBOARD	33	4420	VIP DURALOK	40
060	MILITARY SWITCHBOARD	32	5000	VIP RED CLOUD	36
075	CUSHION COMFORT	23	5050	TAC-MAT	31
082	PINNACLE	21	6477	PORTAMAT WASHRACK	46
350	NOMAD SCRAPER 6050	17	8155	NOZZLE	50
1350	SAFETY WALK WET AREA 1500	17	724311	TEMPRA FLEX HOSE 5/8"	50
1366	VINYL-LOOP	16	724547	TEMPRA FLEX HOSE 3/8"	50
1410	SPIKE RESISTANT CARPET	7	MF-3B	FRAMES	19
1410	ULTRA-BERBER	7	MF-4B	FRAMES	19
1410	MARQUIS	2	ML-40	TRAPES	14

STAY-PUT BACKING HELPS HOLD CARPET IN PLACE

OPTIONAL HEAVY DUTY NOSING AVAILABLE IN BLACK AND BROWN

MADE TO ORDER: PLEASE REQUEST QUOTE

TRAPS DIRT AND MOISTURE

UNLIMITED SIZES AVAILABLE

TUFTED CUT PILE NYLON

# Custom Indoor Carpeting For Class A Commercial Buildings

-Industry benchmark for cut pile carpet
-Functional walk off carpeting that helps to accrue additional LEEDS credits
-Minimizes slipping hazards
-Made with post industrial type 6,6 reclaimed nylon yarn fiber recovered from automotive part scrap waste
-Lower Maintenance costs

CRI Green Label Plus for Leed Qualification Environmental certified 3 Year Warranty 126 standard colors available Plain or Customized with your Logo

#### BEL-AIRE COLLECTION: TYPE 1412 MARQUIS



Distinctively Elegant Incredibly Durable.

LOBBIES FOYERS ENTRANCES CUSTOM SIZES LOGOS

spirit celtic gray basalt basalt x-ray black pearl blanched almond marigold crandon crandon rainforest chili pepper



**1422 CAMINO REAL** commercial HIGH TRAFFIC carpet provides excellent service indoors or out. Hobnail design offers superior scraping to trap dirt and moisture. Available in plain or customized with your logo.

Stay-Put Backing Helps Hold Carpet in Place

Optional Heavy Duty Nosing available in Black and Brown

MADE TO ORDER: PLEASE REQUEST QUOTE

Traps Dirt and Moisture Needlepunch Polypropylene Unlimited Sizes Available

3 Year Warranty

For Specifications please refer to page 8.

#### BEL-AIRE COLLECTION: TYPE 1422 CAMINO REAL



Resists Surface Abrasion.

LOBBIES FOYERS ENTRANCES CUSTOM SIZES LOGOS

autumn beige blue blue burgundy chocolate gray dhunter green natural red sea green charcoal



BEL-AIRE COLLECTION: TYPE 1485 NEEDLE-RIB

THE BEST Selling Commercial Mat.

LOBBIES FOYERS ENTRANCES



#### FOR SPECIFICATIONS PLEASE REFER TO PAGE 8.

**1485 NEEDLE-RIB** non-woven polypropylene sculptured ribs actively scrape dirt from shoes and conceals it between the ribs until cleaning.

100% Polypropylene Vinyl Backed keeps moisture from floor Stain & Fade Resistant Effectively traps dirt Extremely durable Indoor or Outdoor use

1485 NEEDLE-RIB	Approximately 3/8" thick
Size	Estimated Weight
2' x 3'	5 lbs
3' x 4'	8 lbs
3' x 5'	10 lbs
3' x 6'	11 lbs
4' x 6'	15 lbs
4' x 8'	21 lbs
Rolls	
36" x 60 ft	100 lbs
48" x 60 ft	120 lbs
72" x 60 ft	200 lbs

Also available in special cuts. For Specifications please refer to page 8.



**1611 PARK PLACE** roll-up aluminum rail mat is highly fashionable and will aesthetically enhance any entrance or foyer.

Available for Surface or Recessed Applications

THERMOPLASTIC HINGE REDUCES WALKING NOISE

INCLUDES ALUMINUM RECESS FRAME FOR NEW RECESSED CONCRETE INSTALLATIONS OR VINYL FRAME FOR SURFACE APPLICATIONS. CARPET OR VINYL REPLACEABLE Strip Inserts Positive Anti-Slip Protection

EFFECTIVELY TRAPS DIRT EXTREMELY DURABLE

1611 PARK PLACE Aluminum Rail Roll-Up Entrance System. Approx. 3/8" thick

Size	Estimated Weight
Made to Order	3.5 lbs /sq ft

Some competitive brands are very similar to Park Place, and although replacement strips look alike, different brands are not interchangeable and may not fit. Please verify compatibility prior to ordering replacement parts.



#### BEL-AIRE COLLECTION: TYPE 1611 PARK PLACE

Textured Vinyl Colors			
gray			
black			
blue			
beige			
brown	664949494		

LOBBIES FOYERS ENTRANCES CUSTOM SIZES



# Custom Mats For Class A Commercial Buildings

-Helps to prevent contaminants inside the building while accruing additional LEEDS credits for walk off areas -Minimizes slipping hazards -Made with 13% recycled content -Lower Maintenance costs

CRI Green Label Plus for Leed Qualification Composite rubber backing ISO 14001 Environmental certified Mold & mildew resistant Unaffected by climate extremes 3 Year Warranty Plain or Customized with your Logo BEL-AIRE COLLECTION: TYPE 1422 CAMINO REAL



Resists Surface Abrasion. LOBBIES FOYERS ENTRANCES CUSTOM SIZES LOGOS



STAY-PUT BACKING HELPS HOLD CARPET IN PLACE

OPTIONAL HEAVY DUTY NOSING AVAILABLE IN BLACK AND BROWN

MADE TO ORDER: PLEASE REQUEST QUOTE

TRAPS DIRT AND MOISTURE

NEEDLEPUNCH POLYPROPYLENE

UNLIMITED SIZES AVAILABLE

charcoal





#### 43 DELUXE MONOGRAM INLAID LOGO MAT

Enhances any entrance with corporate name or logo.

Easy to Clean	Cleated Rubber Backing
Logo won't Wear Ou	t Durable Nylon Yarn

43 DELUXE	MONOGRAM: 3/8" thick	
 Size	Estimated Weight	
3' x 4'	12 lbs	
3' x 5'	15 lbs	
3' x 10'	30 lbs	
4' x 6'	24 lbs	
4' x 8'	32 lbs	

Other sizes available.

Sizes are approximate, actual dimensions can vary.

#### LOGO MATS TYPE 43 DELUXE MONOGRAM

NOTHING IS Better than an Inlaid logo For Durability.

INDOOR ENTRANCES CORPORATE IMAGE CUSTOM LOGOS

MAY BE Commercially Laundered.

#### TO ORDER A MAT...

- 1. Select mat size.
- 2. Make color selection from chart for mat background and logo.
- 3. Indicate traffic direction and placement of logo.
- 4. Submit "camera ready" art.

Lead time: 6-8 weeks after approval of artwork.

Aquamarine
Black
Burgundy
Chocolate
Dark Gold
Dark Gray
Emerald
Forest
Gold
Light Blue
Hot Pink
Moss Green
Navy
Orange
White Pearl
Purple
Red
Rose
Royal Blue
Sandalwood
Silver
Turquoise
White Silver
Yellow



# LOGO MATS TYPE 46 DIGI PRINT

### EYE CATCHING Appearance.

INDOOR ENTRANCES CORPORATE IMAGE ADD SAFETY CUSTOM LOGOS

#### DIGI-PRINT Computer Printed Logo Mat

Create a totally personalized image of your business.

Easy to Clean
VIBRANT COLORS

Cleated Rubber Backing Continuous Filament Nylon Yarn

46 DIGI	PRINT: 7/16" thick	
Size	Estimated Weight	
3' x 4'	12 lbs	
3' x 5'	15 lbs	
3' x 10'	30 lbs	
4' x 6'	24 lbs	
4' x 8'	32 lbs	

#### Other sizes available.

Note: This product is MADE TO ORDER and will require extended lead time.

Sizes are approximate, actual dimensions can vary.

HIGH Performance and Durability.

Available Flock Colors
Black
Silver Gray
Winter
Cream
Beige
Brown
Gold
Yellow Gold
Orange Gold
Yellow
Yellow Beige
Orange
Red
Magenta
Burgundy
Purple
Bright Purple
Navy Blue
Blue
Azure Blue
Process Blue
Baby Blue
Hunter Green
Emerald
Olive Green
Light Green
Dark Teal
Light Teal



#### MONOGRAM FLOCKED LOGO MAT

Perfect for any business setting.

EASY TO CLEAN Stain and Mildew Resistant Sturdy Vinyl Backing Durable Olefin Carpet

12 MONOGRAM FLOCKED LOGO MAT: 3/8" thick

Size	Estimated Weight
2' x 3'	7 lbs
3' x 4'	12 lbs
3' x 5'	16 lbs
4' x 6'	23 lbs

Note: This product is MADE TO ORDER and will require extended lead time. See price guide for flock color and screen set up charges.

LOGO MATS TYPE 42 MONOGRAM FLOCKED

#### NO MINIMUM Order.

INDOOR ENTRANCES CORPORATE IMAGE CUSTOM LOGOS SAFETY MESSAGE

PROMOTE NAME RECOGNITION WHILE PROTECTING FLOORS.

# Carpet Colors Red Blue Green Brown Charcoal



#### MACHINE WASHABLE CLEATED RUBBER BACKED MAT

Fade Resistant

**Resists Matting Down** 

Indoor Mats Trap Dirt and Moisture at the Door


MAY BE CLEANED IN COMMERCIAL WASHING MACHINES

NITRILE RUBBER CLEATED BACKING MINIMIZES MOVEMENT

#### 1470 MACHINE WASHABLE: 3/8" thick **Estimated Weight** Size 2' x 3' 4 lbs 3' x 4' 7 lbs 3' x 5' 9 lbs 3' x 10' 18 lbs 4'x6' 14 lbs 4' x 8' 19 lbs Special Cut (Max Length 20 ft.) 36" wide 2 lbs / lf 48" wide 3 lbs / lf

Note: This product is **Made to Order** and will require extended lead time. Sizes are approximate, actual dimensions are slightly less than noted.

## CARPET MATS TYPE 1470 MACHINE WASHABLE



Skid Resistant Stocking Pattern

INDOOR ENTRANCES HIGH TRAFFIC HI-QUALITY NYLON CLEATED BACKING





#### 1438 TUF - PLUSH OLEFIN

100% Olefin, easy to clean Vinyl Backed

Fade and Stain Resistant **OUTSTANDING ABSORPTION** 

143	38 TUF-PLUSH Pro	emium Olefin Mat: 3/8" th	ick
	Size	Estimated Weight	
	3' x 4'	9 lbs	
	3' x 5'	10 lbs	
	3' x 10'	18 lbs	
	4' x 6'	16 lbs	
	Rolls		Also available
	36" x 60 ft	120 lbs	in Special Cuts.
	48" x 60 ft	150 lbs	



#### **1487 CHEVRON RIB HERRINGBONE**

100% Polypropylene, easy to clean Fade and Stain Resistant COURSE FIBERS SCRAPE DEBRIS FROM SHOES

Vinyl Backed

487 CHEVRON-RIB High Traffic Mat, 3/8
Size Estimated Weight
2' x 3' 5 lbs
3' x 4' 10 lbs
3' x 5' 11 lbs
3' x 6' 12 lbs
4' x 6' 16 lbs
4' x 8' 18 lbs
Rolls
36" x 60 ft 95 lbs
48" x 60 ft 120 lbs
72" x 60 ft 200 lbs

CARPET MATS TYPE 1438 TUF-PLUSH CHEVRON-RIB

**Tuf-Plush Colors** 



INDOOR **HIGH TRAFFIC** FLOOR PROTECTION

SAFETY





#### CATALINA OLEFIN Walk Off Mats - Standard or Premium

Indoor/Outdoor carpet mats trap dirt and moisture at the door.

Fade Resistant Vinyl Backed Cleans Easily with a Vacuum or Hose Traps more than 1 Gallon Water per sq. yard

	ATALINA RD DUTY: 5/16" thick		CATALINA MIUM DUTY: 3/8" thick
1437 STANDA	IND DUTT: 5/16 LINCK	1402 PRE	WIDNI DUTT: 3/6 LINCK
Size	Estimated Weight	Size	Estimated Weight
2'x3'	5 lbs	2'x3'	6 lbs
3'x4'	8 lbs	3'x4'	9 lbs
3' x 5'	11 lbs	3' x 5'	12 lbs
3'x6'	12 lbs	3'x6'	13 lbs
3' x 10'	18 lbs	3' x 10'	24 lbs
4' x 6'	16 lbs	4' x 6'	17 lbs
4' x 8'	20 lbs	4' x 8'	26 lbs
4' x 10'	27 lbs	4' x 10'	32 lbs
Rolls		Rolls	
36" x 60 ft	100 lbs	36" x 60 ft	105 lbs
48" x 60 ft	125 lbs	48" x 60 ft	130 lbs
72" x 60 ft	221 lbs	72" x 60 ft	160 lbs

CARPET MATS TYPE 1437 CATALINA STANDARD TYPE 1462 CATALINA PREMIUM



ENTRANCES TRANSITION AREAS

FLOOR PROTECTION

ENHANCE SAFETY



Also available in Special Cuts.

PARQUET

CARPET MATS TYPE 1425 WATER WELL I TYPE 1426 WATER WELL II

#### Classic Colors

Blue		
Gray		
Pepper		
Walnut		
Red		

ENTRANCES HIGH TRAFFIC AREAS FLOOR PROTECTION ENHANCE SAFETY

#### **Parquet Colors**



CLASSIC

WATERWELL MATS FEATURE SKID RESISTANT BACKING PATTERN

#### WATER WELL Walk Off & Entrance Mats – Classic or Parquet

Indoor carpet mats trap dirt and moisture at the door. Skid resistant cleated backing.

100% polypropylene

Rubber Molded Backing

 Size
 Estimated Weight

 2'x3'
 6 lbs

 3'x4'
 11 lbs

 3'x5'
 15 lbs

 3'x10'
 22 lbs

 4'x6'
 16 lbs

 4'x10'
 30 lbs

Cleans Easily with a Vacuum or Hose

Traps more than 1-1/2 Gallons of Water per Sq. yard

1426 WATER WELL II - PARQUET 3/8" thick		
Size	Estimated Weight	
2'x3'	6 lbs	
3'x4'	11 lbs	
3' x 5'	15 lbs	
3' x 10'	22 lbs	
4' x 6'	16 lbs	
4' x 10'	30 lbs	



#### 1465 TWIST-LOOP Outdoor Scraper Mat

AGGRESSIVE SCRAPING ACTION Vinyl Backed

Fade and Stain Resistant TWISTED LOOP NON-ABSORBANT FIBERS

1465 TWIST-LOOP	(formerly	Super-Trap):	3/8" thick
-----------------	-----------	--------------	------------

 Size	Estimated Weight	
3' x 4' 3' x 5' 3' x 6' 3' x 10' 4' x 6'	10 lbs 11 lbs 12 lbs 20 lbs 16 lbs	
Rolls	10103	
36" x 60 ft 48" x 60 ft 72" x 60 ft	110 lbs 150 lbs 290 lbs	Also available in Special Cuts.



#### 1366 VINYL-LOOP Outdoor Scraper Mat

RUGGED VINYL COATED NYLON LOOPS

**EXCELLENT SCRAPING ACTION** 

ALL WEATHER MAT

VINYL BACKED

1366 VINY	L-LOOP: 3/8" thick	
Size	Estimated Weight	
2' x 3'	5 lbs	
3' x 4'	10 lbs	
3' x 5'	12 lbs	
4' x 6'	18 lbs	
Rolls		
36" x 60 ft	120 lbs	Also avai
48" x 60 ft	170 lbs	in Special

# **SCRAPER MATS** TYPE 1465 TWIST-LOOP VINYL-LOOP



Twist-Loop Colors

Charcoal

Burgundy

INDOOR/ OUTDOOR SCRAPING ACTION

#### Vinyl-Loop Colors

Beige Blue Red / Black Gray



#### 1350 3M<sup>®</sup> NOMAD Scraper 6050

Aggressive Scraping Action Vinyl Backed For Medium Indoor Traffic To Clean, Simply Shake, Vacuum or Rinse

1350 NOMAD SCRAPER 6050: 3/8" thick

Size	Estimated Weight	Edge Finish
3' x 5'	12 lbs	Bevel 4 sides
4' x 6'	19 lbs	Bevel 4 sides



#### 1351 3M<sup>®</sup> SAFETY-WALK WET AREA 1500

Resistant to Body Oils, Fungus & Mildew Open Back Promotes Drainage

Ideal for Showers, Locker Rooms, or any Barefoot Traffic MEDIUM TRAFFIC UV Stable Promotes Safe Footing

1351 SAFETY-WALK	WET AREA:	3/8" thick
------------------	-----------	------------

SizeEstimated Weight36" x 20 ft32 lbs

no borders

**Edge Finish** 

SCRAPER MATS TYPE 1350 NOMAD® TYPE 1351 WET AREA

#### Nomad Colors

Black

Brown



MEDIUM TRAFFIC SAFE FOOTING EASY TO CLEAN DURABLE VINYL COIL

#### Wet Area Colors



Also available in custom cuts. Borders cannot be added to this product.




#### 1451 VINYL-COIL Scraper Unbacked

Spaghetti Coil Offers Safe Footing UNBACKED FOR DRAINAGE

GREAT FOR BAREFOOT AREAS **RATED FOR MEDIUM TRAFFIC** 

1451 VINYL-COIL SCRAPER: 3/8" thick				
Size				
3' x 5' 4' x 6'	13 lbs 20 lbs	no borders no borders	-	
Rolls		Also available		
36" x 20 ft 48" x 20 ft	55 lbs / lf 75 lbs / lf	no borders no borders	in Special Cuts.	



#### 1041 3M<sup>®</sup> SAFETY-WALK WET AREA 3200

Resistant to Body Oils, Fungus & Mildew Open Back Promotes Drainage

IDEAL FOR SHOWERS, LOCKER ROOMS, OR ANY BAREFOOT AREA

HEAVY TRAFFIC UV STABLE **PROMOTES SAFE FOOTING** 

#### 1041 SAFETY-WALK WET AREA: 1/4" thick

33 lbs

**Estimated Weight** Size 36" x 20 ft

**Edge Finish** no borders

**SCRAPER MATS** TYPE 1451 VINYL COIL WET AREA

#### **Vinyl-Coil Colors**



DRAINAGE SAFE FOOTING **EASY TO CLEAN** LOCKER ROOMS



Wet Area Colors



Borders cannot be added to this product.



#### 800 COCOA BRUSH - Vinyl Backed - Natural Color

100% Natural Cocoa Fibers Vinyl Backed to Protect Floors Optional Heavy Duty Bevel Edge Excellent Scraping Action Use in Weather Protected Areas Cleans Easily with Vacuum

800 COCOA BRUSH: 5/8" thick				
Size	Estimated Weight	Edge Finish		
2' x 3'	8 lbs	no borders - order separately		
3' x 4'	16 lbs	no borders - order separately		
3' x 5'	19 lbs	no borders - order separately		
3' x 6'	23 lbs	no borders - order separately		
4' x 6'	30 lbs	no borders - order separately		
Roll				
78" x 40 ft	320 lbs	no borders - order separately		

Also available in Special Cuts.

Recess Aluminum Frame - see listing under Tire-Tex below - model MF-4B.



#### 29 TIRE-TEX Carpet Tile

INDOOR/OUTDOOR USE Golf Spike Resistant Reinforced Rubber Backing 5 Year Surface Wear Guarantee Made from Recycled Truck Tires Vacuum or Sweep to Clean

29 TIRE-TEX TILES: 3/8" thick		
Size	Estimated Weight	Description
12" x 12"	2 lbs	Case quantity 50 Also sold individually
Accessories		· ····,
Adhesive	11 lbs / gal	Covers approx. 125 sq ft
MF3B Recess Alum Frame - 3/8" full bar length 20' - 6"	-	For use with Tire-Tex, special cut available*
MF4B Recess Alum Frame - 1/2" full bar length 20' - 6"	-	For use with Cocoa Brush, special cut available*

Special cut frames are furnished with mitered 90 degree corners, anchors and connecting pins. Recess frames can only be used for new concrete installations. SCRAPER MATS TYPE 800 COCOA BRUSH TYPE 29 TIRE-TEX




Optional Heavy Duty Bevel Edge Adds Safety.

LOBBIES FOYERS ENTRANCES SCHOOLS CHURCHES



**Recess Frame Mill Finish** 





#### SCRAPER MATS TYPE 35 FINGER TOP TYPE 1625 RIDGE-SCRAPER



DURABLE MOLDED RUBBER BEVEL ON ALL SIDES FOR SAFETY BUILT-IN MOISTURE DAM HELPS Indoor/Outdoor Use Also Works as Anti-Fatigue Mat Excellent Scraping Action in

35 FINGER TOP: 5/8" thicl

Size	<b>Estimated Weight</b>
24" x 32"	10 lbs
32" x 39"'	18 lbs
36" x 72"	41 lbs



#### 1625 RIDGE-SCRAPER – Heavy Duty Rubber Safety Mat

Indoor/Outdoor Use Promotes Safety Cleated Backing Helps REDUCES SLIPS AND FALLS Resilient for Worker Comfort Tapered Edge 4 Sides

1625 RIDGE-SCRAPER: 3/8" thick

**Estimated Weight** 

20 lbs

41 lbs

**Size** 3' x 5' 3' x 10'\*

\* This mat is fused and will show a seam.

BEHIND COUNTERS WORK STATIONS RESTROOMS

**ENTRANCES** 

black





# ANTI-FATIGUE



UPSCALE LOOK ULTRA THICK HIGH HEEL RESISTANT

HI-QUALITY BERBER

DEPARTMENT STORES

HOTELS




#### INQUIRE ABOUT SPECIAL ORDER OPTIONS.

#### 1082 PINNACLE – Upscale Berber Anti-Fatigue Floor Covering

Commercial Grade Berber Laminated onto Quality Sponge Exceptional Worker Comfort Standard and Custom Sizes

1082 PINNACLE: 1" thick					
Size	Estimated Weight	Edge Finish			
3' x 5'	24 lbs	Tapered Edge			
4' x 6'	39 lbs	Tapered Edge			
Special Cut					
 39-1/2" wide	6 lbs / l <del>f</del>	Square Edge*			
79" wide	11 lbs / lf	Square Edge*			
79 wide	11103711	Square Luge			

\* Optional tapered edge may be added at no extra cost, please specify at time ordering. Note: This product is MADE TO ORDER and will require extended lead time. Not for use in wet areas.



#### 2500 COMFORT ZONE – Interlocking Rubber Anti-fatigue Mats

Molded Rubber Molded Bevel Safety Edge Single or connectable sections Grease Resistant Anti-Slip pebbled surface Exceptional worker comfort Insulating honeycomb backing

2500 COMFORT ZONE: 1/2" thick				
Stock	Number S	Style	Approx. Size	Estimated Weight
2500-R	E28 E	Ind	28" x 36"	14 lbs
2500-R	E36 E	Ind	36" x 24"	14 lbs
2500-R	C28 (	Center	28" x 36"	14 lbs
2500-R	C36 (	Center	36" x 24"	14 lbs
2500-R	S S	Single	28" x 36"	14 lbs

Note: Not recommended for use under high heels or chairs.

#### ANTI-FATIGUE TYPE 2500 COMFORT ZONE



CHECK STANDS WORK STATIONS ASSEMBLY LINES BEHIND COUNTERS INDUSTRIAL AREAS INTERLOCKING





# ANTI-FATIGUE

CROSS SECTION

SPONGE BASE

CHECK STANDS WORK STATIONS ASSEMBLY LINES BEHIND COUNTERS CUSTOM SIZES

solid black

#### 1075 CUSHION COMFORT-Anti-fatigue Mats & Runners

Custom or Standard Sizes Exceptional Worker Comfort Safety bevel edge all sides ATTRACTIVE MARBLEIZED SURFACE Insulated Backing Durable surface bonded to sponge base


#### 1075 CUSHION COMFORT: 1/2" thick Size **Estimated Weight** 2'x3' 10 lbs 3'x5' 24 lbs 4'x6' 36 lbs **Cuts and Rolls** 24" wide 3 lbs / lf 36" wide 5 lbs / lf 48" wide 6 lbs / lf

Rolls available up to 30 ft. long. Note: Not recommended for use under high heels or chairs. Not suitable for use in wet areas.

marbled black

marbled blue

marbled dark gray



#### 2502 BUBBLE-EZE - Raised Bubble Safety Mat

DURABLE MOLDED RUBBER SLIP RESISTANT SURFACE LIGHT ANTI-FATIGUE QUALITIES Molded Bevel Edges all Sides

2502 BUBE	BLE-EZE: 3/8" thick
Size	Estimated Weight
18" x 24"	6 lbs
24" x 36"	10 lbs
30" x 60"	21 lbs
30" x 10 ft*	42 lbs
30" x 20 ft*	84 lbs

Note – Not suitable for use in greasy areas. \*Note – This mat is fused and will show a seam.



#### ANTI-FATIGUE TYPE 2502 BUBBLE-EZE TYPE 1030 DURA-BONDED TREDLITE



HOSTESS STATIONS

CASHIER STATIONS CHECK STANDS

BEHIND COUNTERS



#### 1030 DURA-BONDED TREDLITE - Layered Vinyl Foam

ULTRA COMFORT ABRASION NO GLUES – MOLECULARLY BONDED

ABRASIONRESISTANT VINYL PEBBLE SURFACEBONDEDLIGHT TO MEDIUM APPLICATIONS

1030 DURA-BONDED TREDLITE: 1/2" thick
Size
Estimated Weight

JIZE	Estimated weight
2' x 3'	5 lbs
3' x 4'	10 lbs
3' x 5'	12 lbs



#### TREDLITE - Sponge Vinyl Runners & Mats

Increase Comfort & SafetyInsulates against Cold or NoiseSlip Resistant Surface – Pebbled or RibbedEconomical

	TREDLITE SPONGE VINYL RUNNERS & MATS				
Type No	Surface	Thickness	Size	Edge	Weight
1024	Ribbed <i>or</i> Pebbled	1/4" 1/4" 1/4" 1/4"	24" x 60 ft 36" x 60 ft 48" x 60 ft 72" x 60 ft	Rounded 2 Sides	60 lbs 80 lbs 90 lbs 210 lbs
1025	Ribbed <i>or</i> Pebbled	3/8" 3/8" 3/8" 3/8"	24" x 60 ft 36" x 60 ft 48" x 60 ft 72" x 60 ft	Rounded 2 Sides	80 lbs 115 lbs 135 lbs 210 lbs
1026	Ribbed Only	5/8" 5/8" 5/8" 5/8"	24" x 30 ft 36" x 30 ft 48" x 30 ft 72" x 30 ft	Rounded 2 Sides	60 lbs 100 lbs 135 lbs 210 lbs
	Optional	l Bevel Edge can be	e added to end of rui	nners above.	
1027	Ribbed <i>or</i> Pebbled	3/8" 3/8" 3/8"	27" x 36" 27" x 60" 36" x 60"	Rounded 4 Sides	6 lbs 9 lbs 10 lbs
1028	Ribbed Only	5/8" 5/8" 5/8" 5/8"	24" x 36" 36" x 48" 36" x 60" 48" x 72"	Rounded 4 Sides	9 lbs 18 lbs 23 lbs 30 lbs

# ANTI-FATIGUE



HOSTESS STATIONS

CASHIER STATIONS

CHECK STANDS

BEHIND COUNTERS

INDUSTRIAL AREAS





#### CARPET PROTECTOR

TYPE 3548 ANCHOR RUNNER TYPE 3545 GRIPPER BACK

#### 3548 ANCHOR-RUNNER – Extra Heavy Duty Protection

HEAVY GAUGE TRANSPARENT VINYL

LIGHT TEXTURED SURFACE ADDS SAFETY

> Also available in Special Cuts.

in Special Cuts.

RIGID ANCHOR POINTS HELP HOLD IT IN PLACE ON MOST CARPETS

Size         Estimated Weight           24" x 50 ft         85 lbs           36" x 50 ft         110 lbs           48" x 50 ft         170 lbs	3548 ANCHOR-RUNNER: 5/16" thick		
36" x 50 ft 110 lbs	Size	Estimated Weight	
	24" x 50 ft	85 lbs	
48" x 50 ft 170 lbs	36" x 50 ft	110 lbs	
	48" x 50 ft	170 lbs	



# PROLONG

REDUCE

#### 3545 GRIPPER BACK - Transparent Vinyl Runner

DIAGONAL RIBS ADD SAFETY 3" TAPERED EDGE HELPS AVOID TRIPPING TINY GRIPPERS HELP HOLD RUNNER IN PLACE STAIN RESISTANT

> Size **Estimated Weight** 27" x 60 ft 55 lbs 36" x 60 ft 100 lbs Also available 48" x 60 ft 130 lbs

A Transparently **Better Solution** To Carpet Wear.

~	,
')	6
	U




#### 1001 PRO-TEKT- Cost Effective Slip Resistant Vinyl Runner

1001 PRO-TEKT: 1/8" thick

LOW PROFILE REDUCES TRIP HAZARDS PEBBLE SURFACE ADDS SLIP RESISTANCE LIGHT WEIGHT AND FLEXIBLE Cuts Easily for Custom Fit

	Size	Estimated Weight	
	36" x 60 ft	85 lbs	Also available
	48" x 60 ft	110 lbs	in Special Cuts.
	72" x 60 ft	175 lbs	op oor all o all o



## RUNNER MATTING TYPE 1001 PRO-TEKT TYPE 1008 KLEEN-RITE

LIGHT WEIGHT and Fine Textured.

black

TOOLBOX LINER AISLES WALKAWAYS WORK AREAS ASSEMBLY LINES STORE ROOMS

black

#### 1008 KLEEN-RITE – Textured Rubber Runner

Non-Directional Pattern Provides Safe Footing

Helps Absorb Noise

IDEAL FOR ANTI-SLIP SURFACE ON Utility Equipment, Golf Carts, etc. Protects Floors

I ROTECTS FLOOD

1008 KLEEN-RITE: 3/32" thick

Estimated Weight

48" x 150 ft

Size

375 lbs

Also available in Special Cuts. Durable and Abrasion Resistant.



#### 1435 SLIP-GARD - Mineral Coated Anti-Slip Runner

**CRUSHED GARNET SURFACE** Extra Heavy Duty

POLYURETHANE BACKING REMAINS FLEXIBLE GREASE RESISTANT **PROMOTES SAFETY** 

1435 SLIF	9-GARD: 1/8" thick		
Size	Estimated Weight		
3' x 5'	16 lbs		
3' x 10'	29 lbs	Also availab	
36" x 40 ft	110 lbs	in Special C	



#### 1031 DURATRED - Golf Spike Resistant Rubber

RAYON AND NYLON REINFORCED FOR USE IN HEAVY TRAFFIC

Spike and Cleat Resistant

EXTRA WIDE CORRUGATIONS FOR EASY SWEEPING AND CLEANING

SLIP RESISTANT

#### RUNNER MATTING TYPE 1435

SLIP-GARD TYPE 1031 DURATRED

#### brown

WET AREAS **FREEZERS** 

#### black

GOLF COURSES **WEIGHT ROOMS** HORSE TRAILERS HOCKEY RINKS GENERAL


**Estimated Weight** 

Size 36" x 22 ft

84 lbs

Note – Not grease or oil resistant.

Also available in Special Cuts.



#### CORRUGATED "DEEP GROOVE" RUNNERS

FLOOR PROTECTION Pliable

CLEANS EASILY

**EFFECTIVELY SCRAPES DEBRIS FROM SHOES PROMOTES SAFE FOOTING** 

Type No	Material	Size	Weight	Color	Thickness
1000	Rubber	24" x 150 ft	220 lbs	Black	1/8"
1000	Rubber	36" x 150 ft	305 lbs	Black	1/8"
1000	Rubber	48" x 150 ft	445 lbs	Black	1/8"
1000	Rubber	72" x 75 ft	290 lbs	Black	1/8"
1002	Rubber	36" x 75 ft	400 lbs	Black	1/4"
1010	Vinyl	24" x 105 ft	170 lbs	Black	1/8"
1010	Vinyl	36" x 105 ft	230 lbs	Black	1/8"
1010	Vinyl	48" x 105 ft	310 lbs	Black	1/8"

# EZY KLEEN "ROUND RIB" RUNNERS

FLOOR PROTECTION Resistant to many Acids and Chemicals

EFFECTIVELY SCRAPES DEBRIS FROM SHOES Promotes Safe Footing

1011 EZY KLEEN RUNNERS						
Type No	Material	Size	Weight	Color	Thickness	
1011	Vinyl	24" x 105 ft	155 lbs	Black	1/8"	
1011	Vinyl	36" x 105 ft	230 lbs	Black or Gray	1/8"	
1011	Vinyl	48" x 105 ft	300 lbs	Black	1/8"	
1011	Vinyl	60" x 105 ft	365 lbs	Black	1/8"	
1011	Vinyl	60" x 105 <del>lt</del>	365 lbs	Black		

Also available in Special Cuts.

Note: Rubber material tends to remain more pliable than vinyl in cold conditions and also resists curling, shrinking and separating. We do not recommend cementing or gluing these materials to floor.


RUNNER MATTING TYPE 1000 RUBBER TYPE 1002 RUBBER VINYL TYPE 1011







# **SPORTS** MATTING TILE LOCK



WEIGHT ROOMS NON-GREASE **WORK STATIONS** 

#### 2560 TILE LOCK - Interlocking Weight Room Matting System

DURABLE MOLDED VIRGIN RUBBER, NOT RECYCLED

MOLDED SAFETY BEVEL EDGE


LOW MAINTENANCE, CLEANS EASILY WITH SOAP AND WATER

EASY INSTALLATION AND REMOVAL NO GLUING ANTI-SLIP PEBBLED SURFACE

**PROTECTS FLOORS** 

2560 TILE LOCK: 3/8" thick					
	Section	Size	Estimated Weight		
	Full Block	2' x 2'	12 lbs		
	Border	1' x 2'	6 lbs		
	Corner (outside)	1' x 2' x 2'	9 lbs		
	Corner (inside)	1' x 1' x 2'	3 lbs		

ABSORBS **SHOCK FROM** FREE WEIGHTS AND GYM EQUIPMENT. REDUCES NOISE.



#### 5051 TAC-MAT - Contaminate Control Dry Mat

4 Sets of 30 Disposable Peel-Off Sheets per Pad

Thin Layers of Adhesive Coated Film Effectively Removes Dirt, Contaminants & Particulates from Shoes Adhesive Backing Secures Pad to Floor

COMMODE

WATER BASED ADHESIVE

 5051 TAC-MAT: 3/16" thick

 Size
 Estimated Weight

 18" x 36"
 9 lbs

 26" x 45"
 14 lbs

URINAL

### SPECIALTY MATTING TYPE 5051 TAC-MAT TYPE 402 SANI-MATE

CLEAN ROOMS PHARMACEUTICALS MICROELECTRONICS FOOD PROCESSING MEDICAL DUST CONTROL

IF APPEARANCE Matters, Don't Leave Out the Restroom!

#### 402 SANI-MATE – Disposable Urinal & Commode Mats

Up to 30 Day Protection Absorbant 50 oz Pad Eliminate Spot Mopping

Odor Control Enhances Restroom Image Mats are packed Six per case

 Style
 Size

 402-I Urinal
 17-1/


 402-II Commode
 22-7

17-1/2" x 20-1/2" 22-7/8" x 21-7/8"

402 SANI-MATE

Estimated Weight 5 lbs per cs/6 6 lbs per cs/6

black



#### ANTI-SLIP & **SWITCHBOARD**

TYPE 1051 DIAMOND PLATE **TYPE 1060** TARY CH-BOARD

#### 1051 DIAMOND PLATE - Vinyl Deckplate Runner

Resistant to Normal Oils and INDUSTRIAL CLEANERS

LONG WEARING VINYL FOR HEAVY DUTY USE

Embossed Deckplate Pattern

ATTRACTIVE AND PRACTICAL

1051 DIAMON		
Size	Estimated Weight	
36" x 75 ft	190 lbs	Also available in Special Cuts.
48" x 75 ft	240 lbs	in opecial cuts.



#### **1060 MILITARY DIAMOND SWITCHBOARD**

INSULATING FOR HIGH VOLTAGE **APPLICATION** 

Proof Tested at 15,000 Volts OVER ENTIRE SURFACE

DIELECTRIC TEST - 30,000 VOLTS

Size

36" x 75 ft

TESTED TO MIL-DTL-15562G TYPE III

OIL, OZONE, FIRE AND CORONA Resistant

MAY BE EXPOSED TO SULFURIC ACID

1060 MILITARY DIAMOND SWITCHBOARD: 3/16" thick

**Estimated Weight** 280 lbs


Also available in Special Cuts. black

gray

**PROMOTES SAFETY AND PROTECTS** FLOORS.

Attractive diamond deckplate surface pattern offers added slip resistance.

gray



#### SWITCHBOARD TYPE 1050 CORRUGATED SWITCHBOARD TYPE 1052 SMOOTH TOP SWITCHBOARD

black

#### 1050 A.S.T.M CORRUGATED SWITCHBOARD

PROTECTION AGAINST ELECTRICAL SHOCK AROUND HIGH VOLTAGE APPARATUS Conforms to OSHA requirements & tested to ASTM D-178/ANSI J6.7 Type II Meets all optional requirements for Ozone, Flame and Oil resistance Proof Tested at 20,000 Volts AC Maximum use voltage 17,000 V AC RMS Dielectric Test Voltage – 30,000 AC RMS

1050 CORRUGATED SWITCHBOARD: 1/4" thick

Size
36" x 75 ft

Estimated Weight 380 lbs

Also available in Special Cuts.



# PROTECT Your Personnel

black


#### **1052 SMOOTH TOP SWITCHBOARD**

Insulating for High Voltage Application not exceeding 3,000 volts Meets requirements for Mil-DTL-15562G, Type II Durable Smooth Vinyl Flame and Abrasion Resistant Easy to Clean Smooth Surface

1052 SMOOTH TOP SWITCHBOARD: 1/8" thick

Size	
36" x 75 ft	

Estimated Weight 245 lbs Also available in Special Cuts. blue



#### 2554 DRI-DEK<sup>®</sup> Interlocking "Snap Together" Vinyl Tiles

Excellent Slip Resistance from Wet Floor

Flow-through Design for Best Drainage

EASY CUT FOR CUSTOM INSTALLATIONS

TIONS EXTENSIVE COLOR SELECTION

ONTAINS OWN DI FOR MOUR MURENUM

CONTAINS OXY-B1 FOR MOLD, MILDEW AND BACTERIA PROTECTION


SAFETY BEVEL EDGE AND CORNER PIECES HELP MEET OSHA REGS

2554 DRI-DEK®: 9/16" thick				
Description	Size	Estimated Weight		
TILE	12" x 12"	1 lbs.		
BEVEL EDGE	2" x 12"	4 oz.		
CORNER	2" x 2"	1 oz.		

# INTERLOCKING TILES TYPE 2554 DRI-DEK®

WORK STATIONS SHOWERS ASSEMBLY LINES BEHIND COUNTERS SAUNAS POOLS & SPAS COMPARTMENTS LOCKER ROOMS





#### 2557 POLY-LOK - Interlocking "Heavy Duty" Vinyl Tiles

Excellent SLIP Resistance from Wet Floors

Indoor & Outdoor Use

Not Affected by Heat, Cold, or Sun

MAY BE CUT FOR CUSTOM FIT

SAFETY BEVEL EDGE SYSTEM HELPS REDUCE TRIPPING OPEN GRIDS FOR BEST DRAINAGE UV STABILIZED AND FUNGUS RESISTANT MADE OF 100% RECYCLED PVC

2557 POLY-LOK: 3/4" thick						
Style No.	Description	Size	Estimated Weight	Color		
2557HD	Tile, Heavy Duty*	12" x 12"	1.5 lbs.	Black		
2557STD	Tile, Std. Duty	12" x 12"	1.5 lbs.	Black		
2557STD	Tile, Std. Duty	12" x 12"	1.5 lbs.	Colors		
2557CR	Corner Ramp**	2 1/2" x 14"	0.5 lbs.	Black		
2557CR	Corner Ramp**	2 1/2" x 14"	0.5 lbs.	Colors***		
2557ER	Edge Ramp**	2 1/2" x 14"	0.5 lbs.	Black		
2557ER	Edge Ramp**	2 1/2" x 14"	0.5 lbs.	Colors***		


\* May be used for forklift traffic.


\*\* Specify MALE or FEMALE when ordering ramps.

\*\*\* Not available in all colors.

### INTERLOCKING TILES TYPE 2557 POLY-LOK

WORK STATIONS SHOWERS INDUSTRIAL AREAS BEHIND COUNTERS ANIMAL CAGES POOLS & SPAS HORSE STALLS LOCKER ROOMS





#### KITCHEN / INDUSTRIAL TYPE 5000 VIP RED CLOUD

5-Year Guarantee against breakdown from grease\*

KITCHENS COOKLINES BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS

INSIST ON THE BEST WHEN PERFORMANCE AND QUALITY MATTER.

#### 5000 VIP RED CLOUD - Ultimate Anti-Fatigue Solution

LIGHT WEIGHT, EASY TO CLEAN TAPERED SAFETY EDGE NO DRAINAGE HOLES EXTREM

Size

3' x 5'

CLEAN ANTI-SLIP TEXTURED SURFACE NON-ABSORBENT "CLOSED-CELL" NITRILE RUBBER EXTREMELY COMFORTABLE GREASE PROOF

5000 VIP REDCLOUD: 3/4" thick

Estimated Weight

\*Prorated and mats must be maintained according to factory recommendations.



KITCHEN / INDUSTRIAL TYPE 2200 VIP BLACK CLOUD

5-Year Guarantee against breakdown from grease\*

CASHIER STATIONS KITCHENS LABORATORIES BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS

SOLID TOP OR WITH DRAIN HOLES

### 2200 VIP BLACK CLOUD - Ultimate Anti-Fatigue Solution

LIGHT WEIGHT, EASY TO CLEAN Tapered Safety edge Non Drainage holes or Solid Top Grease Proof

EAN ANTI-SLIP TEXTURED SURFACE Non-Absorbent "Closed-Cell" Nitrile Rubber Top Extremely comfortable

2200 VIP BLACK CLOUD: 3/4" thick

Product No.	Style	Size	Estimated Weight
2200-35	Solid Top	3' x 5'	10 lbs.
2200-35H	Drainage Holes	3' x 5'	10 lbs.
2200-23	Solid Top	2' x 3'	5 lbs.

Black color does not show dirt like standard red mats. Ideal for areas exposed to public view.

\*Prorated and mats must be maintained according to factory recommendations.



#### 2520 VIP DELUXE – Heavy Duty Rubber Anti-Fatigue & Anti-Slip

7/8" Overall ThicknessAnti-Slip Provides Safe FootingExcellent DrainageSnap-on Bevel Ramps and Connectors AvailableGrease Proof/General Purpose versionsThe Industry's "work-Horse"

#### 2521 VIP LITE – Light Duty version of our heavier mat above

1/2" OVERALL THICKNESS

Grease Resistant & General Purpose versions

2520 VIP DELUXE / 2521 VIP LITE						
Product No.	Version	Size	Thickness	Estimated Weight		
2520	VIP DELUXE	58 1/2" x 39"	7/8"	38 lbs		
2520	VIP DELUXE	29" x 39"	7/8"	19 lbs		
2520B	Snap On Bevel	39"		2 lbs		
2520B	Snap On Bevel	581/2"		4 lbs		
2520H	Snap On Hook <i>(Tw</i>	vo Required per Join	nt)	3 oz		
2521	VIP LITE	58 1/2" x 39"	1/2"	34 lbs		
2521	VIP LITE	29" x 39"	1/2"	17 lbs		
2521B	Snap On Bevel	39"		2 lbs		
2521B	Snap On Bevel	58 1/2"		4 lbs		
2521H	Snap On Hook <i>(Tw</i>	vo Required per Join	nt)	3 oz		

\*Prorated and mats must be maintained according to factory recommendations.

KITCHEN / INDUSTRIAL TYPE 2520 VIP DELUXE TYPE 2521 VIP LITE

VIP DELUXE RED has a 5-Year Guarantee against breakdown from grease\*

VIP DELUXE BLACK has a 1-Year Guarantee for general use in bars, and non-grease service areas

#### RECOMMENDED USAGE

**VIP DELUXE - BLACK** 

BARS NON-GREASE SERVICE AREAS

**VIP DELUXE - RED** 

COOK LINES FRY STATIONS GREASY INDUSTRIAL AREAS

#### **VIP LITE - BLACK**

BARS NON-GREASE SERVICE AREAS

**VIP LITE - RED** 

LIGHT GREASE AREAS



#### 3525 VIP TUFFDEK – Heavy Duty Rubber Anti-Fatigue & Anti-Slip

#### 7/8" Overall Thickness

Excellent Drainage

GREASE RESISTANT AND GENERAL PURPOSE VERSIONS

ANTI-SLIP PROVIDES SAFE FOOTING Improves Worker Productivity The Lighter "heavy duty" Mat

3525 VIP TUFFDECK: 7/8" thick				
	Size	Estimated Weight		
	3' x 5'	35 lbs		
	3' x 3'	21 lbs		
	3' x 2'	14 lbs		


# KITCHEN / INDUSTRIAL type 3525 VIP TUFFDEK

THE MAT That Combines Economy and Utility!

KITCHENS BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS

BLACK - General Purpose For use in bars, service areas and any non-grease kitchen/ industrial area.

**RED - Grease Resistant** For use in light to moderate grease applications.



# 4420 VIP DURALOK - Heavy Duty Interlocking Matting

3/4" OVERALL THICK RUBBER

EXCELLENT DRAINAGE

**GREASE RESISTANT & GENERAL** PURPOSE VERSIONS

ANTI-SLIP AND ANTI-FATIGUE Molded connector System MOLDED BEVEL EDGING OR STUB EDGE STYLE

CENTER AND END SECTIONS EASILY ACCOMMODATE ANY AREA

4420 VIP DURALOK: 3/4" thick

Size

**Estimated Weight** 

Bevel Edge Style: Center, End or Single 38" x 61"

51 lbs

44 lbs

Stub Edge Style: Center, End or Single 3' x 5'

KITCHEN / INDUSTRIAL TYPE 4420 VIP DURALOK

**ELIMINATES THE** NEED FOR EXTRA CONNECTORS OR ADD-ON BEVEL.

**KITCHENS** BARS WAITRESS PICK-UP **ASSEMBLY LINES** BEHIND COUNTERS

**BLACK - General Purpose** For use in bars, service areas and any non-grease kitchen / industrial area.

**RED - Grease Resistant** For use in light to moderate grease applications.



#### 2523 VIP PRIMA - Connecting Rubber Mat System

#### 1/2" Overall Thick Rubber

Excellent Drainage

LIGHT GREASE RESISTANT AND GENERAL PURPOSE VERSIONS

Anti-Slip and Anti-Fatigue

LIGHT WEIGHT FOR EASY HANDLING

SNAP TOGETHER TO EASILY Accommodate any area, even 90 Degree turns

#### 2523 VIP PRIMA: 1/2" thick

Estimated Weight
15 lbs
32 lbs

# KITCHEN / INDUSTRIAL TYPE 2523 VIP PRIMA

# NO CONNECTORS TO LOSE!

LIGHT DUTY KITCHENS BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS

BLACK - General Purpose For use in bars, service areas and any non-grease kitchen/ industrial area.

#### **RED - Grease Resistant**

For use in light grease applications.



# VIP TOPDEK - Molded Bevel Edge Rubber Mats

1/2" Overall Thick Rubber

LIGHT GREASE RESISTANT AND GENERAL PURPOSE VERSIONS

Excellent Drainage

Anti-Slip and Anti-Fatigue Heavier **Senior** or Light Weight **Junior** Versions

2522 VIP TOPDEK SENIOR: 1/2" thick					
Туре	Size	Estimated Weight			
2522 SENIOR	3'x 5'	25 lbs			
2522 SENIOR	3'x 9'-10"	50 lbs			
2522 SENIOR	3'x 14'-8"	75 lbs			
2522 SENIOR	3'x 19'-6"	100 lbs			

#### 2530 VIP TOPDEK JUNIOR: 1/2" thick

Туре	Size	Estimated Weight
2530 JUNIOR	3'x 5'	20 lbs
2530 JUNIOR	3'x 9'-10"	40 lbs
2530 JUNIOR	3'x 14'-8"	60 lbs
2530 JUNIOR	3'x 19'-6"	80 lbs

Note: Sections larger than 5 ft. long are fused and will show a seam.

#### KITCHEN / Industrial


TYPE 2522 VIP TOPDEK SENIOR TYPE 2530 VIP TOPDEK JUNIOR

THE MOST Popular Mats In the Industry!

DISHWASH BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS WORK STATIONS

BLACK - General Purpose For use in bars, service areas and any non-grease kitchen / industrial area.

**RED - Grease Resistant** For use in light grease applications.




# 2540 VIP GUARDIAN - High Quality, Light Weight

NON-ABSORBANT CLOSED-CELL RUBBERREVERSIBLE F100% NITRILE GREASE PROOF FORMULALOW PROFILEEXCELLENT DRAINAGE FOR WET AREASANTI-SLIP & ...3-YEAR GUARANTEE AGAINST BREAKDOWN FROM GREASE\*

Reversible for Extended Life Low Profile, only 1/4" thick Anti-Slip & Anti-Fatigue Rom Grease\*

2540 VIP (	GUARDIAN: 1/4" thick
Size**	<b>Estimated Weight</b>
3' x 5'	17 lbs
3' x 10'	34 lbs
3' x 15'	50 lbs

\* Prorated and mats must be maintained according to factory recommendations. \*\* Sizes longer than 5 ft are seamed.



#### 2535 HONEYCOMB – Medium Duty Anti-Slip/Anti-Fatigue

Honeycomb Design adds product strength

Anti-Slip Surface Provides Safe Footing

EXCELLENT DRAINAGE

LIGHT TO MEDIUM APPLICATIONS

GREASE RESISTANT AND GENERAL PURPOSE VERSIONS

2535 HONEYCOMB: 9/16" thick				
Size	Estimated Weight			
Available in General Purpose	Brown or Red			
3' x 6'	32 lbs			
3' x 4'	22 lbs			
3' x 3'	17 lbs			
3' x 2'	11 lbs			

### Kitchen / Industrial

TYPE 2540 VIP GUARDIAN TYPE 2535 HONEYCOMB

LIGHT DUTY KITCHENS BARS PREP AREAS WAITRESS PICK-UP ASSEMBLY LINES BEHIND COUNTERS



BROWN - General Purpose For use in bars, service areas and any non-grease kitchen / industrial area.



**RED - Grease Resistant** For use in light grease applications.



#### 1631 NI-RIB - Versatile Nitrile Rubber Safety Runner

1/4" OVERALL THICK RUBBER

Reversible - Use Rib side up or Knob side up

GREASE RESISTANT FOR AREAS OF MINIMAL EXPOSURE TO GREASE

LIGHT WEIGHT, EASY TO HANDLE

Anti-Slip "V" Rib surface Enhances Safety

Available in Solid and Perforated versions for areas requiring

1631 NI-RIB: 1/4" thick					
Туре	Size	Style	Estimated Weight		
1631	36" x 60 ft	Solid	240 lbs		
1631	48" x 60 ft	Solid	315 lbs		
1631V	36" x 60 <del>ft</del>	Perforated	240 lbs		
1631V	48" x 60 ft	Perforated	315 lbs		
	1631 1631 1631V	Type         Size           1631         36" x 60 ft           1631         48" x 60 ft           1631V         36" x 60 ft	Type         Size         Style           1631         36" x 60 ft         Solid           1631         48" x 60 ft         Solid           1631V         36" x 60 ft         Perforated		

Also available in Special Cuts. Note: Runners may be fused in sections.

# KITCHEN / Industrial

TYPE 1631 NI-RIB RUNNER



WALK-INS TRANSITION AREAS

PREP AREAS

WAITRESS PICK-UP

SHOWERS

LOCKER ROOMS

BEHIND COUNTERS





# KITCHEN / INDUSTRIAL TYPE 1640 **REVERS-a-MAT**

# Reversible for Extended Life.

ASSEMBLY LINES TRANSITION AREAS WALK-IN COOLERS PREP AREAS WAITRESS PICK-UP DISHWASH BEHIND COUNTERS BARS

#### 1640 REVERS-a-MAT - Reversible Rubber Safety Runner

3/8" OVERALL THICK RUBBER

LIGHT WEIGHT, EASY TO HANDLE

GENERAL PURPOSE OR GREASE RESISTANT FOR AREAS OF MINIMAL EXPOSURE TO GREASE ANTI-SLIP KNOB SURFACE ANTI-FATIGUE FOR WORKER COMFORT Reduces Breakage of Dropped Objects Excellent Drainage in Wet Areas

1640 REVERS-a-MAT: 3/8" thick

**Size** 36" x 64 ft 48" x 30 ft Estimated Weight 270 lbs 150 lbs

Also available in Special Cuts. Note: Runners may be fused in sections and show seam.



# KITCHEN / INDUSTRIAL <sup>TYPE 6477</sup> PORTAMAT RACK

Speeds up handling, cleaning, and drying of kitchen, bar and industrial mats.

Fully Assembled or Knock down

Knock down version ships via UPS!



#### 6477 PORTAMAT TRANSPORTER and WASH RACK

TRANSPORT YOUR SOILED MATS WITH EASE

500 LBS CAPACITY

Zinc Plated

5" SWIVEL CASTERS

Holds up to 10 Large Mats (with holes) 42" L x 28" w x 40" h 16 ga cold rolled 1" tubular steel Saves Time and Labor


#### 6477 PORTAMAT TRANSPORTER

Type No.	Style	Weight
6477-KD	Knock Down	50 lbs
6477	Assembled	45 lbs



# CUTTING BOARDS **PLASTI-CUT**

**RUBBER CUT** TYPE 501CK **COLOR KEY** 



### CUTTING BOARDS - Polyethylene and Rubber

#### **PLASTI-CUT**

**COLOR KEY SERIES** 

WHITE HIGH DENSITY THERMOPLASTIC TEXTURED TO REDUCE KNIFE SLIPPAGE WARP RESISTANT NON TOXIC AND NON ABSORBENT

CROSS CONTAMINATION CONTROL HELPS PREVENT SPREAD OF BACTERIA NON TOXIC AND NON POROUS **ODORLESS POLYETHYLENE** 


#### **RUBBER CUT**

HIGH DENSITY FOODGRADE RUBBER NON TOXIC AND NON ABSORBENT MAY BE RESURFACED BY SANDING PRESERVES KNIFE'S EDGE

	PLASTI-CUT White				RUBBER-CUT Tan	
SIZE	Туре	Weight	Туре	Weight	Туре	Weight
12" x 18" x 1/2"	501P	4 lbs	501CK	4 lbs	501	5 lbs
15" x 20" x 1/2"	501P	6 lbs	501CK	4 lbs	501	8 lbs
18" x 24" x 1/2"	501P	8 lbs	501CK	4 lbs	501	9 lbs
48" x 96" x 1/2"	501P	79 lbs	N/A	-	N/A	-
48" x 72" x 1/2"	N/A	_	N/A	-	501	76 lbs
Custom Sizes 1/2"	501P	2.5 lbs / sq ft	N/A	-	501	3.2 lbs / sq ft
12" x 18" x 3/4"	502P	6 lbs	N/A	_	502	8 lbs
15" x 20" x 3/4"	502P	8 lbs	N/A	_	502	11 lbs
18" x 24" x 3/4"	502P	12 lbs	N/A	_	502	17 lbs
48" x 96" x 3/4"	502P	119 lbs	N/A	_	N/A	-
48" x 72" x 3/4"	N/A	_	N/A	_	502	113 lbs
Custom Sizes 3/4"	502P	3.8 lbs / sq ft	N/A	_	502	4.7 lbs / sq ft
12" x 18" x 1"	503P	8 lbs	N/A	_	503	11 lbs
15" x 20" x 1"	503P	10 lbs	N/A	_	503	15 lbs
18" x 24" x 1"	503P	15 lbs	N/A	-	503	22 lbs
48" x 96" x 1"	503P	158 lbs	N/A	-	N/A	-
48" x 72" x 1"	N/A	_	N/A	-	503	150 lbs
Custom Sizes 1"	503P	5.0 lbs / sq ft	N/A	-	503	6.3 lbs / sq ft

Options: Please request quotation for custom shapes and cut-outs.

Note: None of the cutting boards are recommended for use with cleavers. See page 52 for care and cleaning.



# Shelf & Case Liner

TYPE 3001 NEOTEX TYPE 3005 VINA-TEX

#### 3001 NEOTEX - Flexible Protective Mesh Liner

DURABLE NEOPRENE COATINGSOFT & PLIABLE, WON'T SCRATCH EQUIPMENTREDUCES NOISESANITARY - CAN BE STERILIZED BY BOILING OR AUTOCLAVINGEASILY CUT TO SIZERESISTANT TO OILS, GREASE, FOOD ACIDS, HEAT AND WEAR

3001 NE	OTEX: 1/8" thick	
Size	<b>Estimated Weight</b>	Also available
26" x 50 ft	26 lbs	in Special Cuts.





BENCHTOPS DRAWER LINER GLASSWARE DRYING

RESTAURANT SHELVES

LABORATORIES



#### 3005 VINA-TEX - Protective Counter, Tray, & Shelf Liner

PREVENTS SLIPPING ON TRAYSLIGHTWEIGHT VINYL EASILY CUTS TO ANY SIZEREDUCES NOISEPROTECTS PARTS IN DRAWERSECONOMICAL

3005 VINA-TEX: 1/8" thick

 Size
 Estimated Weight

 24" x 40 ft
 8 lbs



### 2553 FLEX-TILE – Heavy Duty "Snap-Together" Liner Tile

Durable PVC Vinyl	
Reduces Noise	
EASILY CUT TO SIZE	

TILES "SNAP-TOGETHER" TO ACCOMMODATE ANY AREA Excellent Drainage and Air Circulation Textured Surface to Reduce Slippage

2553 F	LEX-TILE: 9/16" thick
Size	Estimated Weight
12" x 12"	1 lbs



#### SHELF & CASE Liner

TYPE 2553 FLEX-TILE TYPE 110 CASE LINER TYPE 220 CASE LINER

GLASSWARE DRYING BENCH TOPS SHELVES COMPARTMENTS STORE ROOMS DRAWERS


DRAWER LINER DELI CASES MEAT CASES PRODUCE SHELVES DISPLAY CASES

#### 110/220 CASE LINER – Reduces Slippage in Display Cases

NON-SLIP WEAVE-BUBBLE PATTERN PREV MILDEW RESISTANT WASHABLE PVG AVAILABLE IN LIGHT & HEAVY DUTY VERSIONS

PREVENTS SLIPPING ON TRAYS PVC COATED POLYESTER SCRIM ONS EASILY CUT TO SIZE

	CASE LINER				
_	Туре	Style	Size	Estimated Weight	
	110	Light Duty 6 oz / sq yd	36" x 60 ft	24 lbs	
	220	Heavy Duty 12 oz / sq yd	36" x 60 ft	44 lbs	



#### **TEMPRA-FLEX HOT WATER HOSES**

#### HEAVY DUTY

500 lbs Burst Rating 3/4" Inside Diameter 200°f Hot Water Rating Color: Red REGULAR DUTY 400 lbs Burst Rating 5/8" Inside Diameter 160°f Hot Water Rating Color: Red

TEMPRA-FLEX HOSES					
	Model	Style	Size	Estimated Weight	
	724547	Heavy Duty	3/4" x 50 ft	16 lbs	
	724311	Regular Duty	5/8" x 50 ft	10 lbs	


#### WATERHOSE & Nozzle

TYPE TEMPRA FLEX 3/4" HOSE

TYPE TEMPRA FLEX 5/8" HOSE TYPE 8155

NOZZLE

SOLID BRASS Coupling Commercial Grade.



#### HOSE NOZZLE – TWIST TYPE BRASS

Solid Heavy Brass for Rugged Performance Double O-Ring Positive Shut-Off Rustproof Fine Mist to Full Stream Precision Machined RELIABLE Premiere Brass.

8155 HOSE NOZZLE

.5 lbs



#### ACCESSORIES:

TYPE 307 WONDER-GRIP TYPE305 STAY-PUT BACKING TYPE 200 DOUBLE FACE TAPE TYPE 300 HOOK & LOOP

#### WONDER-GRIP - stabilizes mats over carpeted surfaces

Loose Lay Under Vinyl Backed Mat High Tech Adhesive won't Transfer to Carpet Helps Prevent Movement and Creeping Easily Cuts to Size

307 WONDER-GRIP - No Slip Anti-Skid Backing			
Model	Size	Estimated Weight	
307R-6	72" x 100 ft	30 lbs	
307F-2	24" wide	.10 lbs Lf	
307F-3	36" wide	.15 lbs Lf	
307F-4	48" wide	.20 lbs Lf	
307F-6	72" wide	.30 lbs Lf	

#### STAY-PUT BACKING – permanently installed creep reducer

HOLDS ANY OF OUR VINYL-BACKED MATS IN PLACE ON MOST INDOOR SURFACES INCLUDING WOOD, MARBLE, TILE AND VINYL FLOORS.

305 STAY-PUT BACKING

Weight

.1 sq. ft

Note: Stay-Put backing is applied with special adhesives which may cause discoloration or staining on some floor surfaces. To order: When ordering a new mat, specify that you wish STAY-PUT BACKING applied.

**HOOK & LOOP TAPE** 

Pressure Sensitive.



300	ноок	&	LOOP	TAPE

Style	Size	Weight
300H Hook	1" x 150 ft	2.4 lbs
301L Loop	1" x 150 ft	2.4 lbs

# DOUBLE FACE TAPE Pressure Sensitive. 200 DOUBLE FACE TAPE Size Weight 2"x75ft 1lbs