MERCURY FLOOR MACHINES CATALOG



Visit us at www.E714.com


CALL US TODAY IF YOU HAVE ANY QUESTIONS, OR WOULD LIKE TO PLACE AN ORDER!

712 S Richfield Rd. Placentia CA 92870 Phone: 714-779-2640 • Fax: 714-779-7789 • www.E714.com



OUR COMMITMENT

Our commitment is to consistently provide our customers with design excellence, the highest quality components and powerful performance. We believe that customer service excellence, premier quality and dynamic value, backed up by our "Best Warranty on the Planet" program, are the key ingredients to our customers' ultimate success. We provide custom private labeling with unlimited color schemes and minimal start-up orders. Our high performance products are built to last with pride in the USA!





CONTENTS

Powerful Floor Machines	4
Dry Scrub Floor Machine	6
Dual Speed Floor Machine	6
Ultra High-Speed Burnishers	7
Oreck XL Cleaning Equipment	8
Vacuum Equipment	9
Super CFM Air Movers	10
Cold Water High Pressure Washers	11
Hot Water High Pressure Washers	12
Floor Machine Brushes, Pad Drivers and Accessories	13
Warranty	14

Powerful Floor Machines

Warranty: "Best Warranty on the Planet" - 5-years on motor, gearbox and chassis



HERCULES™ Super Heavy-Duty Floor Machine

Contractor's first choice!

- Contractor's first choice for spray buffing, scrubbing, stripping and bonnet cleaning
- 1.5 HP, 66-frame A/C motor
- 175 RPM transmission
- Available in six (6) apron sizes: 13", 15", 17", 19", 20" and 21"
- Rugged, all-metal construction
- Order brush and pad driver separately

Model	Apron Size	Motor	Brush Speed	Weight
H-13E	13 in.	1.5 HP	175 RPM	103 lbs.
H-15E	15 in.	1.5 HP	175 RPM	104 lbs.
H-17E	17 in.	1.5 HP	175 RPM	106 lbs.
H-19E	19 in.	1.5 HP	175 RPM	107 lbs.
H-20E	20 in.	1.5 HP	175 RPM	108 lbs.
H-21E	21 in.	1.5 HP	175 RPM	108 lbs.



HERCULES[™] Sealed Sander with Sealed Bearing Motor

For Dusty Wood, Stone and Concrete.

- Engineered for hard floor finishing
- 1.5 HP, 66-frame A/C motor
- Sealed bearings protect motor from dust for a longer life
- 175 RPM transmission
- Available in 17" and 20" apron sizes
- Rugged, all-metal construction

Model	Apron Size	Motor	Brush Speed	Weight
H-17S	17 in.	1.5 HP	175 RPM	106 lbs.
H-20S	20 in.	1.5 HP	175 RPM	107 lbs.
Accessorie	s			
PVKIS	Dust Skirt for H	H-17S, for W	ood Floor Sanding	g
PVKISM	Dust Skirt for H	H-20S, for W	ood Floor Sanding	g
12TV027	Sanding Kit for	r H-17S and	H-20S	



LO-BOY[™] Super Heavy-Duty, Ultra-Quiet Floor Machine

Ultra-Quiet Power!

- Ultra-quiet operating with gearbox located under the apron
- 1.5 HP, 66-frame A/C motor
- 175 RPM transmission
- Available in five (5) apron sizes: 15", 17", 19", 20" and 21"
- Rugged, all-metal construction
- Order brush and pad driver separately

Model	Apron Size	Motor	Brush Speed	Weight
L-15E	15 in.	1.5 HP	175 RPM	96 lbs.
L-17E	17 in.	1.5 HP	175 RPM	99 lbs.
L-19E	19 in.	1.5 HP	175 RPM	102 lbs.
L-20E	20 in.	1.5 HP	175 RPM	103 lbs.
L-21E	21 in.	1.5 HP	175 RPM	105 lbs.



Powerful Floor Machines Continued

Warranty: "Best Warranty on the Planet" - 5-years on motor, gearbox and chassis



SCHOOLMASTER 20 20" Super Heavy-Duty, Ultra-Quiet Floor Machine

Ultra-Quiet Power!

- Ultra-quiet operating with gearbox located under the apron
- 1.5 HP, 66-frame A/C motor
- 175 RPM transmission
- 20" apron size
- Rugged, all-metal construction
- Order brush and pad driver separately

Model	Apron Size	Motor	Brush Speed	Weight
L-20E	20 in.	1.5 HP	175 RPM	103 lbs.

THE BOSS™ Super Heavy-Duty Floor Machine with Interchangeable Aprons

A Complete Floor Machine Fleet!

- Build a fleet of buffers with up to five (5) aprons on one powerful machine!
- 175 RPM and 175/300 RPM models
- Available in five (5) apron sizes: 13", 15", 17", 19" and 21"
- Order brushes, pad drivers and pads separately

Model	Brush Speed	Motor	Weight	
BOSS-1	175 RPM	1.5 HP	101 lbs.	
BOSS-II	175/300 RPM	1.5 HP	101 lbs.	
Aprons with	Bumpers			
A-163-1	13" Apron with Bun	nper	3 lbs.	
A-167-1	15" Apron with Bun	15″ Apron with Bumper		
A-169-1	17" Apron with Bun	nper	5 lbs.	
A-171-1	19″ Apron with Bun	nper	6 lbs.	
A-172-1	21" Apron with Bun	nper	7 lbs.	
A complete order includes (1) base unit and (1) or more aprons				



THE BOSS™ Multi-Tasker Floor Machine with Solution Tank and Weight Set

Maintain Stone, Carpet, Tile and Wood Floors.

- Maintains every type of floor in every size facility!
- 1.5 HP, 66-frame A/C motor
- Powerful 175 RPM transmission
- Includes 13", 17" and 21" aprons and pad drivers, SST-4 solution tank and unicorn 50 lb. weight set

Model	Description	Weight
BMT-175	The BOSS Multi-Tasker 175 RPM,1.5 HP, Super HD Floor Machine Includes: 13", 17" and 21" Interchangeable Aprons; 12", 16" and 20" Pad Drivers; SST-4 Solution Tank; Unicorn 50 lb. Weight Set	175 lbs.

Dry Scrub Floor Machine

Warranty: 1-year on floor machine, life-time on backpack vacuum body and 5-years on backpack motor and all electrical parts



One-Touch Dry Scrub Floor Machine – NEW!

- Scrub an Entire Floor with One Machine!
- Chemical-free stripping
- · Cleans edges and corners in every room
- Mercury 6-Quart Backpack attachment
- Oscillating plate completely enclosed by dust skirt and when used in conjunction with the Backpack Vacuum, captures 95% plus of all airborne particles. Light tacking is all that is needed to prepare floor for new coats of finish!

Model	Motor	Pad Size	Orbital Speed	Weight
DS-18	1 HP	12″ x 18″	1725 RPM	120 lbs.
Accessorie	s			
42071218 Maroon Stripping Pads (10 per Case)				
40441218 Filler Pads (5 per Case)				
Note: one of each pad must be used at all times				

- 12" x 18" cleaning pad size
- 1 HP motor, 120 Volt, 60 HZ
- Includes 50-foot, 14/3-gauge power cord

Dual Speed Floor Machine (175/300 RPM)

Warranty: "Best Warranty on the Planet" - 5-years on motor, gearbox and chassis



CLEANMASTER™ Dual Speed Floor Machine

Labor-Saving Speed!

- Two machines in one for scrubbing, spray buffing, carpet bonnet cleaning and shampooing!
- 1.5 HP, 66-frame D/C rectified motor with triple-planetary gears
- 175/300 RPM dual speed brush
- Available in 17", 19" and 21" apron sizes
- Order brushes and pad drivers separately

Model	Apron Size	Motor	Brush Speed	Weight
TS-17	17 in.	1.5 HP	175/300 RPM	102 lbs.
TS-19	19 in.	1.5 HP	175/300 RPM	103 lbs.
TS-21	21 in.	1.5 HP	175/300 RPM	104 lbs.



Ultra High-Speed Burnishers Continued

Warranty: "Best Warranty on the Planet" - 5-years on motor and chassis



DYNAMITE ULTRA D.C.™ Ultra High Speed Burnisher – NEW!

- Superior Balance for Precise Control!
- Unmatched balance for precise burnishing control!
- 1HP, 15 Amp D/C rectified motor
- Reliable 1750 motor speed
- 20" apron size
- Direct driven pad driver simplifies operation
- Includes 50-foot, 14/3-gauge power cord

Model	Apron Size	Motor	Brush Speed	Weight
DC-20-1750	20″	1750 RPM	1 HP	86 lbs.

ULTRA D.C.™ Ultra High Speed Burnisher

Super Balanced, Ultra High Speed Burnishing!

- Unmatched balance for precise burnishing control!
- 1.5 HP D/C motor
- Available in 1170, 1500 and 2000 RPM Models
- Flexible pad drivers included
- · Balanced for best results

Model	Apron Size	Motor	Brush Speed	Weight
DC-19-1170	19″	1170 RPM	1.5 HP	84 lbs.
DC-20-1170	20″	1170 RPM	1.5 HP	85 lbs.
DC-21-1170	21″	1170 RPM	1.5 HP	86 lbs.
DC-19-1500	19″	1500 RPM	1.5 HP	84 lbs.
DC-20-1500	20″	1500 RPM	1.5 HP	85 lbs.
DC-21-1500	21″	1500 RPM	1.5 HP	86 lbs.
DC-19-2000	19″	2000 RPM	1.5 HP	87 lbs.
DC-20-2000	20″	2000 RPM	1.5 HP	88 lbs.
DC-21-2000	21″	2000 RPM	1.5 HP	89 lbs.

ORECK XL Cleaning Equipment

Warranty: 1-year commercial warranty offered by ORECK - contact ORECK for warranty details

ORECK XL U2000 Upright Vacuum

Powerful Vacuum with a Lightweight Design.

- Lightweight 8 lb. upright vacuum
- Standard RHB model collects dust with a top-loading paper bag
- Hypo-allergenic filtration HHB model
 provides extra dust and pollen control
- Fatigue-resistant cleaning!

Model		Vacuum Width	Motor Size	Weight
U2000 RHB Standard Comm	ercial	12″	4.4 Amp	8 lbs.
U2000 HHB Hypo-Allergenio	Filtration	12″	4.4 Amp	8 lbs.
Replacement B	ags			
PK8000.25	Standard Re	eplacement Bags	(25 Pack)	2 lbs.
PK8000.25DW	Hypo-Allergenic Replacement Bags (25 Pack)			2 lbs.

ORECK XL PRO-14T Heavy-Duty Upright Vacuum

14" Wide Vacuuming Results!

- 4.75-quart bag capacity
- 1000 Watt motor
- Roller brush motor automatically turns
 off when tools are in use
- Includes 50-foot power cord and complete tool set

Model	Vacuum Width	Motor Size	Weight
XLPRO14T	14″	1000 Watt	19 lbs.
Replacement B	ags		
PKPRO14TDW	Replacement Bags (25 Pack)		2 lbs.

ORECK XL Super Compact Vacuum

Janitorial Cleaning Power for the Tightest Hard to Reach Spots.

- Lightweight yet powerful, the Super Compact Vacuum is so powerful it can pick up a 16 lb. bowling ball!
 - Ideal for all hard to reach places with at least 101 uses, according to Oreck
- Uses a hypo-allergenic disposable bag with a dust-free seal
- Includes 6-piece tool kit and flexible hose

Model	Dry Capacity	Motor Size	Weight
BB 900-DGR	1-Quart	6.5 Amp	5 lbs.
Replacement B	ags		
PKBB 12DW	Disposable Replacement Bag	1	1 lb.



ORECK XL Restauranteur Sweeper®

Silent Sweeping!

- 12.5" sweeping path model
 RotoBlade™ sweeps wet and dry debris
- Soft rubber wheels provide surge grip
- High impact ABS body wipes clean with a damp cloth

Model	Sweeping Width	Handle	Weight
XLPR3200	12.5″	42" Aluminum	4 lbs.



(
I	N.	
l	O	
	000	



ORECK XL Cleaning Equipment Continued

Warranty: 5-years on motor and chassis



ORECK XL Orbiter Floor Machine

Janitorial Cleaning Power with Lightweight Design!

- Janitorial cleaning power in a 24 lb. machine!
- Offset brush drive produces a 13" orbiting scrub pattern, highperformance cleaning and easy handling
- Easy-to-use fingertip control
- Includes 35-foot power cord and 12" pad driver

Model		Scrub Diameter	Motor Size	Weight
XL550MC		13″	11 Amp	24 lbs.
Accessories				
237049	12" Dry Shampoo Brush		3 lbs.	
237048	12" Unicorn Mix Brush		3 lbs.	
237047	12" Orange Scrub Brush		3 lbs.	
237056	12" Nylon-C	Grit® Scrub Brush		5 lbs.

ORECK XL Low Boy™ 9000 Floor Machine

Orbital Sanding with Dust Control.

- 19" orbiting pattern floor machine with screen sanding kit
- 19" apron with connection to your canister vacuum
- 175 RPM, 1725 orbits per minute
- Order the 16" pad driver separately
- Add the 16" sanding screen kit for safe floor sanding with no gouging

Model		Sander Size	Motor Size	Weight
LB 9000 Order Pad Drive	r Separately	19″	10.8 Amp	74 lbs.
Accessories				
1914	Black Micro H	Hook-Style Pad I	Driver	7 lbs.
1915	Green Bristle	-Style Pad Drive	er	7 lbs.
12TV027	Vacuum Hos	e and Hardware	Kit	6 lbs.

Vacuum Equipment

Warranty: 1-year



Wet or Dry Pickup with Poly or Chromed Steel Tanks

- Powerful dual 2.67 HP, 2000 Watt vacuum motors
- 225 CFM (106L/Sec.) airflow, 78" Water Lift
- 20-gallon (75 L) tanks select chromed steel or super-durable poly tanks
- Includes 10-foot vacuum hose, steel "S" wand and 4-piece tool kit
- Optional 25" vacuum squeegee assembly

Model	Dry Capacity	Wet Capacity	Motor Size	Weight	
WVC-20	20-Gallon	15-Gallon	(2) 2.67 HP	67 lbs.	
with Chrom	with Chromed Steel Tank				
WVP-20	20-Gallon	15-Gallon	(2) 2.67 HP	67 lbs.	
with Poly Tank					
Accessories	5				
WVS-20B	Step-On Sque	egee Assembly			

Vacuum Equipment Continued



TV66 Wet/Dry Tank Vacuum

Powerful Wet or Dry Vacuum Pickup!

- Picks up the heaviest and wettest soils with high airflow vacuum pickup!
- 6.6-gallon capacity
- 1.75 HP vacuum motor
- 1-year warranty

ModelDry CapacityWet CapacityMotor SizeWeightTV-666.6-Gallon3.1-Gallon1.75 HP15 lbs.



The ACE 10-Quart Backpack Vacuum

A Powerful Lightweight, Portable Vacuum.

- 1.5 HP, 2-stage motor, 150 CFM airflow
- Super quiet, 70 dBA design
- 10-quart capacity with a disposable micro-bag inside a cloth shakeout bag
- Quick conversion to a blower!
- Includes 5-piece tool kit
- "Best Warranty on the Planet" 5-years on chassis, 2-years on motor, 1-year tools

Model	Dry Capacity	Air Flow	Motor Size	Weight
88-8888	10-Quarts	150 CFM	1.75 HP	10.5 lbs.
Replacement Bags				
88-8888 BAG	Disposable Replacement Bags (10 Pack)			1 lb.

Super CFM Air Movers

Warranty: 10-years on roto-molded chassis, 1-year on motor and all electrical components



Mercury AM-4 3-Speed Air Mover

Moves Air at 3 Speeds and 3 Angles!

- 1/2 HP, 115 Volt vacuum motor
- Operates at 3-speeds, up to 1500 CFM
- · Designed to operate at three angles
- Includes 20-foot, 16/3-gauge power cord

Model	Motor Size	Motor Speed	Air Speed	Weight
90-2000	1/2 HP, 3-Speed	780 RPM	1060 CFM	31 lbs.
		950 RPM	1360 CFM	
		1100 RPM	1500 CFM	



High Roller Air Mover – NEW!

High Airflow with the Convenience of Easy Transport.

- 1/2 HP, 115 Volt vacuum motor
- Operates at 3-speeds, up to 1500 CFM
- Designed to operate at two angles
- Top of the line retractable handle for single-handed use and maneuverability
- Double ball-bearing urethane wheels for effortless transportation
- Includes 20-foot, 16/3-gauge power cord

Model	Motor Size	Motor Speed	Air Speed	Weight
90-2000WH	1/2 HP, 3-Speed	780 RPM 950 RPM 1100 RPM	1060 CFM 1360 CFM 1500 CFM	33 lbs.



Cold Water High Pressure Washers





2.1 GPM at 1500 PSI

- 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump

Model	Motor	Wand	Hose
PW-COMPACT CC	2 HP HD Electric Motor	24″	25-Foot
Wheels No Wheels			

Portable Compact Cold Water High Pressure Washer

2.1 GPM at 1500 PSI

- 2 HP HD electric motor
- 115 Volt, 1 PH, 20 Amps
- Includes 24" wand, trigger gun and 25-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (2) 10"pneumatic wheels

Model	Motor	Wand	Hose
PW-COMPACT-OPT	2 HP HD Electric Motor	24″	25-Foot
Wheels (2) 10" Pneumatic Wheels			

Power X-Trem Cold Water High Pressure Washer

3.5 GPM at 4000 PSI

- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (2) 10" pneumatic wheels

Model	Engine	Wand	Hose
PW-POWER X-TREM	13 HP Honda Gas Engine	36″	50-Foot
Wheels (2) 10" Pne			

Force Belt Cold Water High Pressure Washer

4 GPM at 3500 PSI


- 13 HP Honda gas engine
- Includes 36" wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- Stainless steel belt guard
- (2) 10" pneumatic wheels

Model	Engine	Wand	Hose	
PW-FORCE BELT	13 HP Honda Gas Engine	36″	50-Foot	
Wheels (2) 10" Pneumatic Wheels				
Includes Stainless Steel Belt Guard				





Hot Water High Pressure Washers





2 GPM at 1500 PSI

- 2 HP HD electric motor, 115 Volt, 1 PH, 20 Amps, diesel fired burner
- · Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10" pneumatic wheels

Model	Motor	Wand	Hose
PW-DOMINATOR-2	2 HP HD Electric	42″	50-Foot
Wheels (4) 10" Pno			

Electric 6 HP Hot Water High Pressure Washer

4 GPM at 2300 PSI

- 6 HP HD Electric Motor, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10" pneumatic wheels

Model		Motor	Wand	Hose
PW-DON	AINATOR HOT 4E	6 HP HD Electric	42″	50-Foot
Wheels (4) 10" Pneumatic Wheels				

Gas 11 HP Hot Water High Pressure Washer

4 GPM at 3000 PSI

- 11 HP Honda gas engine, 220 Volt, 1 PH, 25 Amps, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gun and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10" pneumatic wheels



Gas 13 HP Hot Water High Pressure Washer

3.5 GPM at 4000 PSI

- 13 HP Honda gas engine, diesel fired burner
- Direct drive with manual hand brake
- Includes 42"dual lance wand, trigger gur and 50-foot high pressure hose
- Low pressure detergent injector and rebuildable triplex ceramic plunger pump
- (4) 10" pneumatic wheels

	Model		Engine	Wand	Hose
	PW-DON	IINATOR	13 HP Honda Gas	42″	50-Foot
n	Wheels	(4) 10" Pneum	atic Wheels		

Washer			
Model	Engine	Wand	Hose

11 HP Honda Gas

42″

50-Foot

PW-DOMINATOR HOT 4G

Wheels (4) 10" Pneumatic Wheels



Floor Machine Brushes, Pad Drivers and Accessories

ſ



Brushes and Pad Drivers

Bristle Types for the Job, Brush Size to Fit the Machine!

- Brush and pad driver sizes with part numbers are shown in the right-hand chart by floor machine type
- Includes "B" style clutch plate
- Pad drivers include 1" riser

Floor Machine Type	13″	15″	17″	19″	21″
Nylon 180 Grit Scrub	1307	1507	1707	1907	2107
Stiff Poly Scrub	1304	1504	1704	1904	2104
Nylon Carpet Shampoo	1316	1516	1716	1916	2116
Bassine Scrub	1302	1502	1702	1902	2102
Union Mix Polish	1301	1501	1701	1901	2101
Pad Driver 1/2" Poly Bristle-Style w/ Riser	1305	1505	1705	1905	2105
Pad Driver Harpoon-Style w/ Riser	_	1508	1708	1908	2108
High Speed Harpoon Cushioned Pad Driver w/ Riser	_	_	1709	1909	2109



SST-4 4-Gallon Solution Tank

Add for more Efficient Scrubbing!

- Delivers pre-mixed scrub solutions through the apron
- 4-gallon capacity
- Can withstand temperatures up to 200 degrees Fahrenheit without becoming brittle, cracking or leaking
- Makes scrubbing faster and more efficient!
- Includes super drain valve

Model	Capacity	Fit	Weight
SST-4	4-Gallon	All Floor Machines	31 lbs.

Customer Warranty Information

All equipment is inspected and tested before shipping from the manufacturer. All parts are warranted to be new and free from defects in workmanship and material, under normal use to the original retail purchaser. This warranty limits manufacturer's liability for defects in workmanship or materials for replacement of defective parts only. The manufacturer accepts no liability for incidental or consequential damages arisen from the use of any equipment, defective or not. This warranty is in lieu of all expressed or implied warranties and is extended only to the original retail purchaser. Manufacturer sales and service representatives are not authorized to waive or alter the terms of this warranty, or to increase the obligations of the manufacturer under the warranty. Parts replaced or repaired under this warrant are warranted for the remainder of the original warranty period.

Freight charges and travel charges to and from the service provider shall be covered for ninety (90) days from the purchase date. After this ninety (90) day period, these freight charges shall be paid by the equipment owner, subject to manufacturer discretion. Certain circumstances may require additional consideration. No travel charges shall be covered after ninety (90) days.

The manufacturer covers up to one (1) year (365 days) of service labor at the manufacturer's calculated hourly labor rate/repair time when performed by a manufacturer's authorized service provider. Ultimately, labor reimbursement costs are at the discretion of the manufacturer. After one (1) year, the original retail purchaser is responsible for all labor costs with no manufacturer reimbursement.

The original purchaser must contact the manufacturer to follow correct RMA/warranty procedures. They must have a copy of the RMA Sheet enclosed in the box with the returned item. No returns shall be authorized unless the proper RMA procedures are followed. It is the responsibility of the distributor to repair the customer's equipment as soon as possible. If the distributor does not have the facilities to repair the equipment, it may be shipped or taken to an authorized service center for repair.

The manufacturer charges a 15% restocking fee for any items that are being returned to stock. Items must be new, unused, free of damage and are only good for up to one (1) year. After one (1) year, the manufacturer does not accept the return of any item(s) for a reimbursed price.

Authorized warranty replacement parts need to come directly from the manufacturer. Any use of any other parts will void warranty. Mercury Floor Machines, Inc. does not reimburse for parts used by customer that were not supplied directly for the machine under warranty.

The customer must contact the manufacturer prior to working on or changing out of any parts, etc. The manufacturer must issue an RMA Sheet containing approved labor time and replacement parts. Do not send parts or equipment back to the manufacturer without a RMA Number and approval. No labor will be paid for, nor parts cost paid for or reimbursed, that have not previously been approved by the manufacturer. All warranty work must be approved and authorized to qualify, and appropriate warranty procedures must be followed.

The warranty starts on the purchase date by the original purchaser from an authorized Mercury Floor Machines, Inc. distributor, subject to proof of purchase. The Machine Registration Form must be completed online at the time of purchase. If proof of purchase cannot be identified, the warranty start date is ninety (90) days after the date of sale to an authorized Mercury Floor Machines, Inc. distributor.

> **Register your machine online!** Go to www.mercuryfloormachines.com/registration.aspx

